TABLE 1B-6
LOW-BIRTHWEIGHT (LBW) BIRTHS ACCORDING TO SELECTED MATERNAL, PRENATAL
CARE AND DELIVERY CHARACTERISTICS, BIRTHWEIGHT, PLURALITY, CHILD'S SEX,
BIRTH ORDER AND BIRTH COMPLICATIONS, ARIZONA, 1990-2000
(URBAN REGIONS)*

| Characteristic NUMBER OF LBW BIRTHS | 1990 3,455 | 1991 3,525 | 1992 3,525 | 1993 3,589 | 1994 3,954 | 1995 4,062 | 1996 4,214 | 1997 4,374 | 1998 4,428 | 1999 4,761 | 2000 5,214 |
|--|-----------------------------------|-------------------|----------------------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|-------------------|
| | PERCENT OF LOW-BIRTHWEIGHT BIRTHS | | | | | | | | | | |
| AGE OF MOTHER | | | | | | | | | | | |
| 4GE OF MOTHER ≤19 years | 18.0 | 18.3 | 16.9 | 17.3 | 17.7 | 17.5 | 17.5 | 16.1 | 17.4 | 16.7 | 16.7 |
| ≥19 years ≥30 years | 29.2 | 29.5 | 29.5 | 30.5 | 31.4 | 31.9 | 32.9 | 34.0 | 31.9 | 32.1 | 33.0 |
| MARITAL STATUS | 27.2 | 27.3 | 27.3 | 30.5 | 31.4 | 31.7 | 32.7 | 34.0 | 31.7 | 32.1 | 33.0 |
| Unmarried | 41.4 | 44.0 | 45.2 | 45.0 | 45.4 | 46.3 | 45.7 | 44.3 | 45.1 | 43.7 | 44.7 |
| MOTHER'S EDUCATION | 71.7 | 44.0 | 70.2 | 40.0 | 45.4 | 40.5 | 43.7 | 44.5 | 43.1 | 43.7 | 77.7 |
| <9 years | 10.0 | 10.9 | 12.9 | 10.1 | 10.4 | 9.3 | 10.9 | 10.2 | 10.8 | 9.3 | 10.0 |
| MOTHERS'S ETHNIC GROUP | | , | , | | | 7.10 | , | | | 7.0 | |
| White ¹ | 57.9 | 54.9 | 53.2 | 56.5 | 52.6 | 51.6 | 50.2 | 49.2 | 47.5 | 45.7 | 46.8 |
| Hispanic | 29.8 | 31.8 | 33.9 | 34.4 | 34.4 | 36.7 | 37.2 | 37.8 | 38.8 | 40.5 | 40.3 |
| Black | 7.7 | 8.6 | 8.1 | 4.0 | 7.7 | 6.7 | 6.5 | 7.1 | 7.0 | 6.3 | 6.4 |
| American Indian | 2.7 | 3.5 | 2.9 | 3.0 | 2.6 | 3.0 | 3.5 | 2.9 | 3.3 | 3.5 | 2.9 |
| Other | 1.7 | 1.7 | 1.9 | 2.0 | 2.7 | 1.8 | 2.7 | 3.1 | 3.4 | 4.0 | 3.5 |
| PRENATAL CARE BEGAN | | | | | | | | | | | |
| 1st Trimester | 64.7 | 63.7 | 67.5 | 67.5 | 67.7 | 67.3 | 70.4 | 72.3 | 70.9 | 69.9 | 71.7 |
| 3rd Trimester | 5.7 | 5.9 | 4.8 | 4.8 | 5.2 | 6.1 | 5.1 | 3.8 | 3.9 | 4.1 | 3.6 |
| No Care | 6.0 | 5.3 | 5.5 | 5.7 | 4.5 | 3.8 | 4.4 | 4.4 | 4.9 | 4.4 | 4.6 |
| PRENATAL VISITS | | | | | | | | | | | |
| 1-4 | 12.2 | 12.2 | 9.0 | 9.8 | 9.6 | 9.7 | 9.3 | 8.3 | 9.4 | 8.3 | 8.1 |
| ≥5 | 78.7 | 79.4 | 80.8 | 79.9 | 79.3 | 75.4 | 81.0 | 84.5 | 78.2 | 78.1 | 78.7 |
| ≥9 | 56.6 | 57.3 | 63.5 | 58.9 | 58.9 | 56.1 | 61.6 | 63.2 | 58.1 | 58.7 | 58.8 |
| ≥13 | 24.0 | 25.4 | 30.5 | 24.9 | 22.9 | 21.8 | 24.9 | 27.0 | 23.1 | 25.0 | 27.2 |
| MEDICAL RISKS/ | | | | | | | | | | | |
| COMPLICATIONS ² | 64.6 | 68.3 | 63.7 | 66.6 | 70.4 | 70.8 | 71.0 | 72.4 | 69.9 | 68.0 | 69.6 |
| GESTATIONAL AGE ³ | 74.0 | 74 7 | 77. | 70.1 | 77.0 | 70.4 | 70.0 | 01 / | 00.0 | 70.0 | 70.7 |
| ≤37 weeks BIRTH WEIGHT | 74.8 | 71.7 | 77.5 | 78.1 | 77.8 | 78.4 | 79.8 | 81.6 | 82.8 | 78.8 | 79.7 |
| <1,500 grams | 20.5 | 20.2 | 17.8 | 18.4 | 16.4 | 18.0 | 17.8 | 17.6 | 17.5 | 18.2 | 18.2 |
| <1,000 grams | 11.1 | 12.3 | 9.7 | 9.7 | 7.9 | 9.2 | 9.2 | 8.3 | 9.0 | 10.2 | 9.1 |
| CHILD'S SEX | 11.1 | 12.3 | 7.1 | 7.1 | 7.7 | 7.2 | 7.2 | 0.5 | 7.0 | 10.1 | 7.1 |
| Male | 47.4 | 48.9 | 47.7 | 48.2 | 46.8 | 47.0 | 49.5 | 49.0 | 48.1 | 50.3 | 49.2 |
| Female | 52.6 | 51.0 | 52.3 | 51.8 | 53.1 | 53.0 | 50.5 | 51.0 | 51.9 | 49.7 | 50.8 |
| PLURALITY | 02.0 | 01.0 | 02.0 | 01.0 | 00.1 | 00.0 | 00.0 | 01.0 | 01.7 | .,., | 00.0 |
| Multiple births | 18.9 | 17.0 | 19.1 | 18.9 | 19.2 | 21.6 | 20.8 | 21.4 | 22.0 | 21.6 | 23.0 |
| CAESAREAN DELIVERY | 31.9 | 31.7 | 34.1 | 31.4 | 33.4 | 33.4 | 33.7 | 34.7 | 35.5 | 35.0 | 38.5 |
| PLACE OF DELIVERY | | | | | | | | | | | |
| Hospital⁴ | 98.9 | 99.3 | 99.1 | 99.3 | 99.2 | 99.6 | 99.6 | 99.3 | 99.5 | 99.7 | 99.8 |
| ATTENDANT AT BIRTH | | | | | | | | | | | |
| Midwife ⁵ | 1.4 | 1.9 | 2.7 | 3.6 | 3.5 | 2.7 | 3.4 | 3.0 | 2.7 | 3.4 | 3.4 |
| PREVIOUS LIVE BIRTHS | | | | | | | | | | | |
| 1 or more | 57.7 | 59.4 | 58.6 | 58.5 | 57.1 | 56.2 | 58.4 | 57.7 | 57.3 | 57.9 | 58.2 |
| 1 of filore | 57.7 | J /T | 30.0 | 30.3 | 57.1 | 30.2 | 30.4 | 57.7 | 37.3 | 57.7 | 30.2 |

^{*} In 1990-1993, Maricopa and Pima Counties were delineated as urbanized areas in Arizona. Beginning in 1993, Pinal County met the criteria and was classified as urban. The remaining counties comprise Arizona's rural areas.

¹ Non-Hispanic.

² Reported medical risks for this pregnancy and/or complications of labor and delivery.

³ Physician's estimate.

⁴ Hospital, clinic, medical center or maternity home.

⁵ Licensed Midwife or Certified Nurse Midwife.